

POLICY TITLE: Comfort Shield® Incontinence Care (8 washcloths/package)	
DEPARTMENTS:	CODE #
ORIGINAL DATE:	PAGE 1 OF 2
DATE APPROVED/REVISED:	APPROVED BY:
DATE REVIEWED:	TITLE:

Standard of Care: #7905-X Comfort Shield® Incontinence Care Washcloths Multi-Use Pack
(8 large washcloths/pkg.)

POLICY STATEMENT:

Comfort Shield Incontinence Care Washcloths will be used on patients who are incontinent of bowel and/or bladder after each incontinent episode. Comfort Shield Washcloths are to be used for incontinence care only, as part of a total bathing system such as the Essential Bath™ Cleansing System.

Comfort Shield Washcloths will not be used if the patient declines, has any known sensitivity to any ingredients, exhibits sensitivity to the product, or any other contraindication. Qualified nursing personnel and/or physician(s) have the responsibility to determine if Comfort Shield Washcloths are appropriate to be administered for stated use to the patient.

Purpose:

To help treat and prevent perineal dermatitis, protect skin from minor irritation associated with perineal dermatitis, cleanse, moisturize, deodorize and provide a protective barrier to seal out wetness to the skin.

Equipment Needed:

1. #7905-X Comfort Shield® Incontinence Care Washcloths Multi-Use Pack
(for individual patient use only)

Procedure:

Comfort Shield Perineal Care Washcloths may be used at room temperature or warmed in a microwave if desired.

- A) Warming in a microwave: familiarize yourself with all indications, warnings and information displayed on Comfort Shield package.
 - 1 Before placing Comfort Shield package into microwave, peel label back to vent.
 - 2 Warm no longer than 45 seconds.
 - 3 Reseal package to retain warmth until use.
- B) Cleansing the skin
 - 1 Tell the patient what you are going to do and continue communication throughout the procedure.
 - 2 Remove wet or soiled undergarment.
 - 3 If needed, gently remove large amounts of fecal material with toilet tissue, Chux, wipes, gown, etc.
 - 4 Remove Comfort Shield washcloth from package, and if warmed, check the temperature before applying to skin. If there is any indication the washcloth is excessively hot, do not use. Remember gloves diminish sensitivity to heat. Closely monitor heat levels with infants, unresponsive or skin sensitive individuals.

- 5 Cleanse perineal area with Comfort Shield washcloth. Use as many cloths as necessary to remove urine and/or feces from the skin. Discard each washcloth after use, following appropriate policies for such soiled items.
DO NOT FLUSH WASHCLOTHS DOWN THE TOILET.
- 6 Place clean, dry undergarment on patient. Change soiled or wet bedding if needed.
- 7 Repeat cleansing procedure after each episode of urinary and/or fecal incontinence.

The information contained herein refers specifically to the cleansing of the perineal/sacral area of incontinent individuals with Comfort Shield washcloths. Additional interventions, rationales and steps should be added pursuant to your facility's final plan of care, following standard nursing practice, other approved internal policies and procedures, and universal precautions.